

# MSB Workstation Series



<b>Modell:</b>	<b>MSB Workstation Series BO-Silver</b>
<b>Gehäuse:</b>	Chieftec Bravo Midgettower
<b>Mainboard:</b>	Asus P5GD2-X Intel® LGA775 Pentium 4 Processor FSB 800 MHz Intel 915P Chipset Dual-Channel DDR2 533 ASUS Hyper Path2 DDR2 600 Native Support
<b>Steckplätze:</b>	1 x PCI Express x16 Slot for Discrete Graphics Card 3 x PCI Express x1 Slot 3 x PCI Slot
<b>CPU:</b>	Intel® Pentium® 4 650 3,4 GHz FSB 800 MHz 2 M
<b>RAM:</b>	2 x 1024 MB DDR2
<b>Grafikkarte:</b>	Asus Extreme AX300SE-HM128M ATI Radeon X300 SE 128 HyperMemory with 32MB VRAM Max Resolution 2048x1536 DVI Output
<b>Netzwerkkarte:</b>	Gigabit LAN Controller Marvell® 88E8053 PCIe
<b>Audio:</b>	C-Media High Definition Audio 8-channel CODEC S/PDIF out on back I/O port
<b>Festplatte:</b>	2 x 80 GB Seagate ST3808110AS S-ATA 3Gb/s
<b>CD/DVD-ROM:</b>	Sony DVD-ROM
<b>Floppy:</b>	ja
<b>Laufwerks-Einschübe:</b>	extern: 3x 5 1/4" 2x 3,5" intern: 2x 3,5"
<b>Netzteil:</b>	350 W
<b>Abmessung:</b>	[TxBxH] 710 mm x 482,6 mm x 170,5 mm
<b>Betriebssystem:</b>	MS Windows XP Professional
<b>Anwendungen:</b>	Office Professional

MSB Mikrocomputer Software  
HandelsGmbH  
Kirchengasse 7  
A-1070 Wien  
Fon +43-1-526 48 25  
Fax +43-1-526 48 25-25  
Mail [info@msb.co.at](mailto:info@msb.co.at)  
Web [www.msb.co.at](http://www.msb.co.at)



Hummingbird Connectivity Business Alliance Partner  
Microsoft OEM für System Builder  
Red Hat Ready Business Partner  
Intel Product Integrator  
Kaspersky Certified Partner  
SEP Registered Partner

# MSB Workstation Series



<b>Modell:</b>	<b>MSB Workstation Series HO-White</b>
<b>Gehäuse:</b>	Ultron Miditower UG 35-White
<b>Mainboard:</b>	Elite Groupe 915PL-A2 Intel® LGA775 Socket for Pentium 4/Celeron D Processor FSB 800/533 MHz Intel® 915PL & ICH6 Chipset North Bridge: Intel® 915PL South Bridge: Intel® ICH6
<b>Steckplätze:</b>	2 x PCI Express x16 Slots, 1 x PCI Express x1 Slot, 3 x PCI Slots
<b>CPU:</b>	Intel® Pentium® 506 2,667 GHz FSB 533 MHz
<b>RAM:</b>	512 MB DDR2
<b>Grafikkarte:</b>	GeForce 6200TurboCache NVIDIA GF 6200TC 128/256 MB DDR
<b>Netzwerkkarte:</b>	10/100 Mbps Fast Ethernet Controller Realtek RTL8100C
<b>Audio:</b>	Realtek ALC850 8-Channel Audio CODEC Compliant with AC'97 2.3 Specification
<b>Festplatte:</b>	80 GB Hitachi Deskstar 7K80 S-ATA
<b>CD/DVD-ROM:</b>	DVD-R/W
<b>Floppy:</b>	ja
<b>Laufwerks-Einschübe:</b>	extern: 4 x 5 1/4" 1 x 3,5" intern: 5 x 3,5"
<b>Netzteil:</b>	350 W
<b>Abmessung:</b>	[TxBxH] 477 mm x 180 mm x 415 mm
<b>Betriebssystem:</b>	MS Windows XP
<b>Anwendungen:</b>	Home Office

MSB Mikrocomputer Software  
HandelsGmbH  
Kirchengasse 7  
A-1070 Wien  
Fon +43-1-526 48 25  
Fax +43-1-526 48 25-25  
Mail [info@msb.co.at](mailto:info@msb.co.at)  
Web [www.msb.co.at](http://www.msb.co.at)



Hummingbird Connectivity Business Alliance Partner  
Microsoft OEM für System Builder  
Red Hat Ready Business Partner  
Intel Product Integrator  
Kaspersky Certified Partner  
SEP Registered Partner

# MSB Workstation Series



<b>Modell:</b>	<b>MSB Workstation Series OMM-Black</b>
<b>Gehäuse:</b>	Chieftec Dragon Mditower
<b>Mainboard:</b>	Asus P5GDC Intel® LGA775 Pentium 4 Processor FSB 800 MHz Intel 915P Chipset Dual-Channel DDR2 533 ASUS Hyper Path2 DDR2 600 Native Support
<b>Steckplätze:</b>	1 x PCI Express x16 Slot for Discrete Graphics Card 3 x PCI Express x1 Slot 3 x PCI Slot
<b>CPU:</b>	Intel® Pentium® 4 630 3,0 GHz FSB 800 MHz 2 M
<b>RAM:</b>	2 x 512 MB DDR2
<b>Grafikkarte:</b>	Gainward PRO/1460PCX TV-DVI NVIDIA GeForce 6200TC 350 MHz 128MB 3,7ns DDR2 - 500 MHz Supports two monitors simultaneously S-Video & Composite Out
<b>Netzwerkkarte:</b>	Gigabit LAN Controller Marvell® 88E8053 PCIe
<b>Audio:</b>	C-Media High Definition Audio 8-channel CODEC Coaxial, Optical S/PDIF out on back I/O port
<b>Festplatte:</b>	2 x 80 GB Hitachi Deskstar 7K80 S-ATA 3Gb/s
<b>Card Reader:</b>	-
<b>CD/DVD-ROM:</b>	1 x Samsung DVD-ROM 1 x Samsung DVD-Brenner SH-S162L - +16x8x -16x8x DL+8x-4x
<b>Floppy:</b>	ja
<b>Laufwerks-Einschübe:</b>	extern: 3x 5 1/4" 2x 3,5" intern: 2x 3,5"
<b>Netzteil:</b>	350 W
<b>Abmessung:</b>	[TxBxH] 440mm x 180mm x 460mm
<b>Betriebssystem:</b>	MS Windows XP Professional

MSB Mikrocomputer Software  
HandelsGmbH  
Kirchengasse 7  
A-1070 Wien  
Fon +43-1-526 48 25  
Fax +43-1-526 48 25-25  
Mail [info@msb.co.at](mailto:info@msb.co.at)  
Web [www.msb.co.at](http://www.msb.co.at)



Hummingbird Connectivity Business Alliance Partner  
Microsoft OEM für System Builder  
Red Hat Ready Business Partner  
Intel Product Integrator  
Kaspersky Certified Partner  
SEP Registered Partner

# MSB Workstation Series



<b>Modell:</b>	<b>MSB Workstation Series MM&amp;Play</b>
<b>Gehäuse:</b>	Chieftec Dragon Miditytower
<b>Mainboard:</b>	Intel Desktop D945GNT Intel® LGA775 Pentium 4 Processor FSB 800 MHz Intel® 945G Express Chipset Intel Matrix Storage Technology Support for up to 4 GB of System Memory
<b>Steckplätze:</b>	1 x PCI Express x16 Slot 2 x PCI Express x1 Slot 4 x PCI Slot
<b>CPU:</b>	Intel® Pentium® D 940 3,2 GHz FSB 800 MHz 2x2MB
<b>RAM:</b>	2 x 1024 MB DDR2
<b>Grafikkarte:</b>	WinFast PX7600 GS TDH Dual 400MHz RAMDACs NVIDIA® nView® Multi-Display Technology NVIDIA® PureVideo™ Technology Integrated HDTV Encoder Supports HDTV and Dual Link DVI Output
<b>Netzwerkkarte:</b>	10/100 Mb/s LAN Subsystem - Intel® 82562GX/82562GZ PLC
<b>Audio:</b>	Intel® High Definition Audio Subsystem 8-channel (7.1) Audio Subsystem with five analog Audio Outputs 1x S/PDIF optical digital audio output (Sigmatel 9223* Audio Codec)
<b>Festplatte:</b>	2 x 120GB Seagate Barracuda S-ATA 3Gb/s
<b>Card Reader:</b>	Chieftec Card Reader 15 in 1 (intern)
<b>CD/DVD-ROM:</b>	1 x Benq DVD Brenner; 1 x DVD-ROM
<b>Floppy:</b>	ja
<b>Laufwerks-Einschübe:</b>	extern: 3x 5 1/4" 2x 3,5" intern: 2x 3,5"
<b>Netzteil:</b>	ATX 400 Watt / Low Noise
<b>Abmessung:</b>	[TxBxH] 440mm x 180mm x 460mm
<b>Betriebssystem:</b>	MS Windows XP Home

MSB Mikrocomputer Software  
HandelsGmbH  
Kirchengasse 7  
A-1070 Wien  
Fon +43-1-526 48 25  
Fax +43-1-526 48 25-25  
Mail [info@msb.co.at](mailto:info@msb.co.at)  
Web [www.msb.co.at](http://www.msb.co.at)



Hummingbird Connectivity Business Alliance Partner  
Microsoft OEM für System Builder  
Red Hat Ready Business Partner  
Intel Product Integrator  
Kaspersky Certified Partner  
SEP Registered Partner

# MSB Workstation Series



<b>Modell:</b>	<b>MSB Workstation Series SBC-Black</b>
<b>Gehäuse:</b>	Ultron MidiTower UG65S-Black
<b>Mainboard:</b>	ASRock 775i945GZ LGA 775 for Intel® Core™ 2 Duo/Pentium® D/Pentium® 4/ Celeron® D processors FSB 800/533 MHz Support Hyper-Threading Technology Northbridge: Intel® 945GZ Southbridge: Intel® ICH7 Dual Channel DDRII memory technology (up to 2GB)
<b>Steckplätze:</b>	2 x AGI Express Slot (PCI Express x4) 1 x HDMR Slot 3 x PCI Slots
<b>CPU:</b>	Intel® Pentium® D 930 3,0 GHz FSB 800 MHz 2x2MB
<b>RAM:</b>	1024MB DDR2 PC533 (2x512MB)
<b>Grafikkarte:</b>	Intel® Graphics Media Accelerator 950 Pixel Shader 2.0, DirectX 9.0 Max. shared memory 224MB
<b>Netzwerkkarte:</b>	10/100 Mbps Realtek RTL81001L Ethernet Controller
<b>Audio:</b>	Realtek ALC888 audio CODEC
<b>Festplatte:</b>	160GB Baracuda 7200.9 SATA-II
<b>CD/DVD-ROM:</b>	DVD-R/W und DVD-R
<b>Floppy:</b>	ja
<b>Laufwerks-Einschübe:</b>	extern: 4x 5,25“; 2 x 3,5“ intern: 3x 3,5“
<b>Netzteil:</b>	300 W
<b>Abmessung:</b>	[TxBxH] 470 mm x 190 mm x 430 mm
<b>Betriebssystem:</b>	MS Windows XP
<b>Anwendungen:</b>	Small Business Client

MSB Mikrocomputer Software  
HandelsGmbH  
Kirchengasse 7  
A-1070 Wien  
Fon +43-1-526 48 25  
Fax +43-1-526 48 25-25  
Mail [info@msb.co.at](mailto:info@msb.co.at)  
Web [www.msb.co.at](http://www.msb.co.at)



Hummingbird Connectivity Business Alliance Partner  
Microsoft OEM für System Builder  
Red Hat Ready Business Partner  
Intel Product Integrator  
Kaspersky Certified Partner  
SEP Registered Partner

# MSB Workstation Series



<b>Modell:</b>	<b>MSB Workstation Series Shuttle MiniPC</b>
<b>Gehäuse:</b>	Shuttle SD32G5/G5-Gehäusetyp aus Aluminium
<b>Mainboard:</b>	Shuttle FD32, Shuttle Form Factor Sockel 775 unterstützt Core 2 Extreme, Core 2 Duo, Dual Core, Pentium D, Pentium 4, Celeron D processors Chipsatz: Intel 945G (Lakeport-G) + ICH7 unterstützt DDR2-533/667 DDR SDRAM Speicher bis zu einer Gesamtkapazität von 4 GB, max. 2 GB pro Modul Award V6.0PG BIOS, 4MBit Flashspeicher-Chip
<b>Steckplätze:</b>	1 x PCI-Express (16X) unterstützt 8 GB/s Datentransferrate 1 x PCI (32 Bit)
<b>CPU:</b>	Intel Pentium Dual Core E2160 1.8GHZ FSB800 1MB CACHE
<b>RAM:</b>	1024MB DDR2 667MHZ
<b>Grafikkarte:</b>	Intel Graphics Media Accelerator 950 (GMA950) Verbesserter Datendurchsatz durch PCI-E x1-Anbindung 333MHz Taktfrequenz des Grafikprozessors DX8/DX9-Unterstützung mit erweiterten 3D-Funktionen Dynamic Video Memory Technology 3.0, Shared Memory max. 224MB
<b>Netzwerkarte:</b>	Gigabit LAN Controller Marvell 88E8001 Ethernet Netzwerk-Controller unterstützt 10/100/1.000 MBit/s Datentransferrate
<b>Audio:</b>	7.1-Kanal HD-Audio (High Definition) mit Realtek ALC882 Analog: Line-out (8-Kanal), Line-in, Mikrofon Optional optische Ein- und Ausgänge für SPDIF (Digital Audio)
<b>Festplatte:</b>	160GB Deskstar T7K160 S-ATA II
<b>CD/DVD-ROM:</b>	DVD-R/W +18x8x8x -18x8x8x RAM12x Samsung
<b>Netzteil:</b>	250 Watt SilentX Mini-Netzteil
<b>Abmessung:</b>	[TxBxH] 300 mm x 200 mm x 185 mm
<b>Betriebssystem:</b>	MS Windows XP
<b>Anwendungen:</b>	Office

MSB Mikrocomputer Software  
HandelsGmbH  
Kirchengasse 7  
A-1070 Wien  
Fon +43-1-526 48 25  
Fax +43-1-526 48 25-25  
Mail [info@msb.co.at](mailto:info@msb.co.at)  
Web [www.msb.co.at](http://www.msb.co.at)



Hummingbird Connectivity Business Alliance Partner  
Microsoft OEM für System Builder  
Red Hat Ready Business Partner  
Intel Product Integrator  
Kaspersky Certified Partner  
SEP Registered Partner

# MSB Workstation Series



<b>Modell:</b>	<b>MSB Workstation Series Desktop-X</b>
<b>Gehäuse:</b>	Chieftec Combitower Maestro
<b>Mainboard:</b>	ASUS P5L-VM 1394 LGA775 Socket for Intel® Core™2 Extreme/Intel® Core™2 Duo/ Intel®Pentium D/Intel® Pentium 4/Intel® Celeron D Chipsatz: Intel® 945G, Intel® ICH7 FSB: 1066/ 800/533 MHz unterstützt 4 x 240-pin DIMM sockets max. 4GB DDR2 667/533/400 non-ECC, unbuffered memory Support Intel® EM64T/EIST/Hyper-Threading Technology
<b>Steckplätze:</b>	1 x PCI Express x16 Slot for Discrete Graphics Card 1 x PCI Express x1 Slot 2 x PCI 2.2 Slot
<b>CPU:</b>	INTEL Core2Duo E4500 2.2 GHZ FSB800 2MB L2 CACHE
<b>RAM:</b>	1024MB Kingston RAMKit 2x512MB
<b>Grafikkarte:</b>	Intel® Graphics Media Accelerator 950 Graphics Max. Resolution: 2048x1536 (at 75Hz) Maximum Vertical Refresh Rate: 85 Hz at up to 1920x1440
<b>Netzwerkkarte:</b>	1 x Attansic PCIe Gigabit LAN Controller
<b>Audio:</b>	Realtek ALC883 High Definition Audio CODEC, 6-channel audio port Support Jack-sensing, Enumeration, Multi-Streaming and Jack-Retasking
<b>Festplatte:</b>	160GB Deskstar T7K160 S-ATA II
<b>CD/DVD-ROM:</b>	DVD-R/W+ 18x8x8x -18x8x8x RAM12x Samsung
<b>Laufwerks-Einschübe:</b>	extern: 1 x 5,25“, 1 x 3,5“ intern: 3 x 3,5“
<b>Netzteil:</b>	300 Watt
<b>Abmessung:</b>	[TxBxH] 440 mm x 350 mm x 136 mm
<b>Betriebssystem:</b>	MS Windows XP
<b>Anwendungen:</b>	Office

MSB Mikrocomputer Software  
HandelsGmbH  
Kirchengasse 7  
A-1070 Wien  
Fon +43-1-526 48 25  
Fax +43-1-526 48 25-25  
Mail [info@msb.co.at](mailto:info@msb.co.at)  
Web [www.msb.co.at](http://www.msb.co.at)



Hummingbird Connectivity Business Alliance Partner  
Microsoft OEM für System Builder  
Red Hat Ready Business Partner  
Intel Product Integrator  
Kaspersky Certified Partner  
SEP Registered Partner